



DEPARTMENT OF FINANCIAL SERVICES
Division of Funeral, Cemetery & Consumer Services
200 East Gaines Street
Tallahassee, FL 32399- 0361

Notice of Change in Location of Cinerator Facility

This form is used to report a change in location of a Cinerator Facility, and to request an inspection of the proposed new location, pursuant to s. 497.606(7), Florida Statutes. Operations at the new location may NOT start until an inspection of the new location by the Division of Funeral, Cemetery, and Consumer Services (Division) is conducted and passed. This form is NOT used to report a change in ownership of a Cinerator Facility. This form should be filed BEFORE the new location is ready for inspection, because the Division will need some lead time to schedule the inspection. This form requires payment of a \$25 new license card fee (to show new address) and \$225 inspection fee.

Fill out, sign, and mail this form, with your check in the amount of \$250, payable to “Dept. of Financial Services,” to: Department of Financial Services, Receipts Section
 PO Box 6100
 Tallahassee, FL 32314

1) Name of Cinerator Facility as shown on license:
2) License # of Cinerator Facility:
3) Current address (street, city, state, zip):
4) Proposed new address (street, city, state, zip):
5) Date the new location will be ready for inspection:
6) Name of Cinerator Facility’s contact person:
7) Phone number of person name above:
<div style="display: flex; justify-content: space-between;"> <div style="width: 45%; border-top: 1px solid black; border-bottom: 1px solid black;"></div> <div style="width: 45%; border-top: 1px solid black; border-bottom: 1px solid black;"></div> </div>
<div style="display: flex; justify-content: space-between;"> <div style="width: 45%; border-top: 1px solid black; border-bottom: 1px solid black;"></div> <div style="width: 45%; border-top: 1px solid black; border-bottom: 1px solid black;"></div> </div>
Questions? Call Division staffer Jasmin Richardson at 850-413-4076

DFS RECEIPTS SECTION

<u>BT</u>	<u>TYCL</u>	<u>FT</u>	
V	2900	E	\$225
	3801	F	\$ 25