

Blast Report

C.O. Number: _____	Blast Time: 1:31 P.M.	Blast Date: 3-1-17
Customer Name: WHITE ROCK QUARRY	Address: 18300 NW 122 nd Ave. Highland, FL	
Rock Type: Marine Limestone Rock Specific Gravity 2.3 G/C.C.	Expected Vibration: 0.028	
Location of Blast: Section 8	Blast GPS Points: N 25° 56' 19.5" W 80° 22' 10.73"	
Weather: MOSTLY CLOUDY	Temp: 82°F	Wind from and Speed: SE 12MPH

Nearest Non-Owned Structure and Seismograph Location or Other Location

Name: Compliance Machine	Distance: 5,227.2'	Direction: 180°
GPS Points: N 25° 55' 27.83" W 80° 22' 10.73"		

No. of Holes	Hole Diameter	Hole Depth	No. of Powder Deck	Sub Drilling	Avg. Stem Height	Burden	Spacing	Explosives Type	Pounds or Units
70	4.5"	84'	70	NA	16'	17'	18'	RIOMIX A	38,850
								ORANGE CAP (20JY16)	140
								Total Pounds	38,990

Name of Detonator and Manufacture: Maxam Daveytronics Other: _____
 Circle Choice: Non-electric Electric Electronic

Delay or Type	Length	No. Used	Date Code
Electronic	40m	70	SE-16
Electronic	15m	70	AP-16

Delay or Type	Length	No. Used	Date Code
BUS WIRE	638'		

Cubic Yards in Shot: 106,640 Avg Pounds/Hole: 557 Holes/Delay: 1
 Max LBS/Delay: 557 Powder Factor: Pounds Per Cubic Yard: .581
 Scaled Distance Factor: 221.484 Type of Blasting Machine: Twist Battery

Blaster Name: John Rohrer Blaster Signature: *[Signature]*
 Blaster Address: 18870 NW 19th St Pembroke Pines, FL 33029 Blaster No: EP15-00005
 Site Inspection Performed: Yes No Mine Management Signature: _____


User's Information

Name: John Rohrer- user# EL15-000005 18870 NW 19th St. Pembroke Pines, FL 33029

Comments:

Shot Design

Holes Per Row: 14 Number Of Rows: 5 Arrows for North and POI: ↗ Typical Hole
 Delay Time Holes in a Row: 42ms Delay Time Between Rows: 59ms



Staggered or Squared (Circle One)
 Blast # 2017-7