

Blast Report

C.O. Number: _____	Blast Time: <u>1:15 P.M.</u>	Blast Date: <u>3-30-17</u>
Customer Name: <u>WHITE ROCK QUARRY</u>	Address: <u>18300 NW 122nd Ave. Hialeah, FL</u>	
Rock Type: <u>Marine Limestone Rock Specific Gravity 2.3 G/C.C.</u>	Expected Vibration: <u>0.024</u>	
Location of Blast: <u>Section 2</u>	Blast GPS Points: <u>N25°56'24.43" W80°22'05.04"</u>	
Weather: <u>Partly Cloudy</u>	Temp: <u>82°F</u>	Wind from and Speed: <u>SE 14MPH</u>

Nearest Non-Owned Structure and Seismograph Location or Other Location

Name: <u>WATER TREATMENT PLANT</u>	Distance: <u>5,755</u>	Direction: <u>180°</u>
GPS Points: <u>N25°55'27.72" W90°22'05.04"</u>		

No. of Holes	Hole Diameter	Hole Depth	No. of Powder Deck	Sub Drilling	Avg. Stem Height	Burden	Spacing	Explosives Type	Pounds or Units
<u>60</u>	<u>4.5</u>	<u>84'</u>	<u>60</u>	<u>NA</u>	<u>16'</u>	<u>17'</u>	<u>18'</u>	<u>RIOMEXA</u>	<u>33,300</u>
								<u>BOOSTERS</u>	<u>120</u>
								<u>ORANGE CAP (202Y16)</u>	
									<u>33,420</u>

Name of Detonator and Manufacture: Maxam Daveytronics Other: _____
 Circle Choice: Non-electric Electric Electronic

Delay or Type	Length	No. Used	Date Code
<u>Electronic</u>	<u>15m</u>	<u>40</u>	<u>FE-16</u>
<u>Electronic</u>	<u>15m</u>	<u>20</u>	<u>AP16</u>
<u>Electronics</u>	<u>30m</u>	<u>60</u>	<u>AEE-16</u>

Delay or Type	Length	No. Used	Date Code
<u>BKS WIRE</u>	<u>549'</u>		

Cubic Yards in Shot: 57,120 Avg Pounds/Hole: 557 Holes/Delay: 1
 Max LBS/Delay: 557 Powder Factor: Pounds Per Cubic Yard: 0.581
 Scaled Distance Factor: 243.847 Type of Blasting Machine: Twist Battery
 Blaster Name: John Rohrer Blaster Signature: [Signature]
 Blaster Address: 18870 NW 19th St. Pembroke Pines, FL 33029 Blaster No: EP15-000005
 Site Inspection Performed: Yes No Mine Management Signature: [Signature]

User's Information



Name: John Rohrer- user# EL15-000005 18870 NW 19th St. Pembroke Pines, FL 33029

Comments:

Shot Design Typical Hole

Holes Per Row: 12 Number Of Rows: 5 Arrpows for North and POI ↗

Delay Time Holes in a Row: 24ms Delay Time Between Rows: 104ms



Staggered or Squared (Circle One)
 Blast # 2017-12