

Blast Report

C.O. Number: _____	Blast Time: 1:15 P.m.	Blast Date: 12-21-16
Customer Name: WHITE ROCK QUARRY	Address: 18300 NW 122 nd Ave. Hialeah, FL.	
Rock Type: Marine Limestone Rock Specific Gravity 2.3 G/C.C.	Expected Vibration: 0.0292	
Location of Blast: Section 6	Blast GPS Points: N25°56'35.5" W80°23'13.7"	
Weather: Cloudy	Temp: 70°F	Wind from and Speed: N-9MPH

Nearest Non-Owned Structure and Seismograph Location or Other Location

Name: Compliance Machine	Distance: 5,121.6'	Direction: 0°
GPS Points: N25°57'25.79" W80°23'13.7"		

No. of Holes	Hole Diameter	Hole Depth	No. of Powder Deck	Sub Drilling	Avg. Stem Height	Burden	Spacing	Explosives Type	Pounds or Units
96	4.5"	84'	96	NA	16'	16.6'	18'	RIOMIX A	53,280
								Boosters	
								Boosters	
								ORANGE CAP (203Y16C3)	192 (192)
								Total Pounds	53,472

Name of Detonator and Manufacture: Maxam Daveytronics Other: _____
 Circle Choice: Non-electric Electric Electronic

Delay or Type	Length	No. Used	Date Code
Electronic	40m	96	FE-16
Electronic	15m	96	AP-16

Delay or Type	Length	No. Used	Date Code
BUS WIRE	725'		

Cubic Yards in Shot: 89,280 Avg Pounds/Hole: 557 Holes/Delay: 2
 Max LBS/Delay: 557,114 JR Powder Factor: Pounds Per Cubic Yard: 0.6
 Scaled Distance Factor: 217.0092 Type of Blasting Machine: Twist Battery
 Blaster Name: John Rohrer Blaster Signature: *John Rohrer*
 Blaster Address: 18870 NW 19th St. Pembroke Pines, FL 33029 Blaster No: EP15-000005
 Site Inspection Performed: Yes No Mine Management Signature: *Michael Anderson*


User's Information


Name: John Rohrer- user# EL15-000005 18870 NW 19th St. Pembroke Pines, FL 33029

Comments:

See attachment for shot design and arrow for North

Shot Design

Holes Per Row: 16 Number Of Rows: 6 Arrows for North and POI 
 Delay Time Holes in a Row: 70ms Delay Time Between Rows: 26ms



Staggered or Squared (Circle One)

Blast # 005-2016

Typical Hole

