

69A-47.015 Requirements for Elevator Keys.

(1) All elevator keys within each of the seven emergency response regions as set forth in these rules shall be uniform and specific for that region.

(2) The following are the designated emergency response regions, with the description of the elevator key assigned to each region:

a. Emergency Response Region 1: Escambia, Santa Rosa, Okaloosa, Walton, Holmes, Jackson, Washington, Bay, Gulf, Calhoun: Yale Key No. R-80833-2006-1;

b. Emergency Response Region 2: Gadsden, Liberty, Leon, Franklin, Wakulla, Taylor, Jefferson, Madison, Lafayette, Hamilton, Suwannee, Columbia, Dixie: Yale Key No. R-80833-2006-2;

c. Emergency Response Region 3: Nassau, Duval, Clay, St. John, Flagler, Putnam, Bradford, Union, Baker, Levy, Alachua, Gilchrist: Yale Key No. R-80833-2006-3;

d. Emergency Response Region 4: Citrus, Hernando, Pasco, Pinellas, Hillsborough, Polk, Manatee: Yale Key No. R-80833-2006-4;

e. Emergency Response Region 5: Marion, Sumter, Lake, Orange, Seminole, Osceola, Brevard, Volusia: Yale Key No. R-80833-2006-5;

f. Emergency Response Region 6: Hardee, Sarasota, Desoto, Charlotte, Glades, Highland, Okeechobee, Hendry, Lee, Collier: Yale Key No. R-80833-2006-6;

g. Emergency Response Region 7: Monroe, Miami-Dade, Broward, Palm Beach, Martin, St. Lucie, Indian River: Yale Key No. R-80833-2006-7.