

## Asset Management Module Configurations

This workbook contains two worksheets that represent core configuration components in Florida PALM. Column/field definitions and instructions are provided below. This configuration workbook contains the following Asset Management module configurations to which agency-specific values are being obtained to setup in Florida PALM:

- Location Definition
- Area ID Values

**NOTE:** The data provided in these worksheets are the configured values based on agencies RW Task 567-G submission.

### Smartsheet Navigation:

Florida PALM Workbook for (Agency) > Inventories > Configuration Workbook Inventory > Asset Management (AM)

### Location Definition

Error Messages	Configure Value	Set ID	Florida PALM Location Code	Effective Date	Status as of Effective Date	Description	Country	Phone	Address 1

Figure 1: Location Definition Worksheet in Smartsheet (Panel 1)

Address 2	Address 3	City	County	State	Postal	Jurisdiction	Building Number	Floor/Room Number	Sector	Comments

Figure 2: Location Definition Worksheet in Smartsheet (Panel 2)

### Configuration Value Definition

'Location Definition' indicates an agency's physical location (e.g., address) for each Location Code.

### Business Process and Subprocess

The Location Definition configuration supports the following business process and subprocess:

Table 1: Location Business Process and Subprocess

Business Process	Business Subprocess
<a href="#">40.3 Set up and Maintain Asset Controls</a>	N/A

## Configuration Value Purpose and Use

- All Florida PALM modules use Location Address information to process and record agency transactions.

The Location Definition configuration establishes valid Location Code ChartField values for agency use. These Location Code ChartField values are being utilized across agency worksheets (Figure 3) to ensure the most current information is available in associated ChartField drop-down selections as you complete RW Task 657 – Submit Updated Configuration Workbooks and RW Task 659 – Update Conversion Field Mapping.

***Failure to complete the <Agency> Location Definition Configuration worksheet will result in Location Code ChartField values being unavailable for selection by your agency in the related worksheets.***




Figure 3: Cross-worksheet Connections for Location Definition

## Configuration Design Details

The following design considerations are applied when defining Location Definition values in Florida PALM:

- Location Codes are values that represent unique sites or locales that populate Location Address values in Florida PALM.

- Location Code values are ten (10) alphanumeric characters in length and are established based on the physical locations of each agency.
- Location Code values are agency-specific and available only for transactions by the associated agency; these values are not shared across all agencies.
- Location Address information is labeled optional in the workbook because some locations may not have a 911 address. If there is valid address information available, please complete each address field for each Florida PALM Location Code.
- Location Codes are required in Florida PALM and will be required to convert existing FLAIR property items.
- Project Locations must be configured through the Asset Location configuration task, if different from Asset Locations. Project Location is not a required field.

The following assumptions are considered when defining a Location value:

- Agencies may enter additional addresses at the bottom of the Location Definition sheet, if an agency sees any missing locations.
- Values entered in the Florida PALM Location Code column must be agency unique.
- Attempts to create duplicate Florida PALM Location Codes will result in system error message.
- If the configured location addresses provided in the worksheet are incorrect, agencies will make corrections directly in those fields on the Location Definitions worksheet.
- Area IDs are optional configuration values that will be provided by agencies, if applicable, in a separate configuration workbook.

### *Florida PALM Location Code*

The following information is intended to establish guidance in administering Location Codes in Florida PALM. Agencies will create a 10-character (alphanumeric) Florida PALM Location Code for each agency-occupied location address. There are two types of Location Codes in Florida PALM, which are included in the Location Definition worksheet:

- Agency Primary Location – used for administrative purposes only. Each agency will have one primary location.
- Agency Locations – used for recording daily operational transactions. Each agency will have multiple agency locations.

### *Agency Primary Location*

The Agency's Primary Location is made up of the following:

- Agency Business Unit
- Agency Acronym

Example:

Agency: Agency for Health Care Administration  
Location Code: **68000\_AHCA**

(1<sup>st</sup> thru 5<sup>th</sup> Positions): **68000** = Agency Business Unit  
(6<sup>th</sup> thru 10<sup>th</sup> Positions): **\_AHCA**= Agency Acronym

### Agency Locations

The Agency Location Code is made up of the following:

- 2-character County Number
- 8-character identifier determined by the agency

Using the Location Code the Florida PALM:

#### Example 1:

Agency: Department of Health  
Location: Alachua Regional Service Center East  
Location Code = **01RegionaE**

(1<sup>st</sup> & 2<sup>nd</sup> Positions): **01** = Alachua County  
(3<sup>rd</sup> thru 10<sup>th</sup> Positions): **RegionaE** = Agency defined location identifier

#### Example 2:

Agency: Department of Agriculture and Consumer Services  
Location: ANIMAL INDUSTRY EQUIPMENT POLE BARN 24x120  
Location Code = **37Equibarn**

(1<sup>st</sup> & 2<sup>nd</sup> Positions): **37** = Leon County  
(3<sup>rd</sup> thru 10<sup>th</sup> Positions): **Equibarn** = Agency defined location identifier

### Configuration Field Details

Agencies must provide the following Location Definition related configuration values as listed in the <Agency> *Location Definition* worksheet in Smartsheet.

Table 2: Location Definition Field Details

Field Name	Field Description	Required / Optional Field	Field Type	Field Length	Field Value Input
<b>Error Messages</b>	<i>Real-time "[RT]" and/or interfaced "[API]" messages which describe all errors found in the Agency Indicated, Agency Provided, or Agency Specified fields.</i>	N/A	N/A	N/A	Project Provided
<b>Configure Value</b>	Configure Value: "Yes", "No", "Update", "New".	Required	Character	6	Agency Indicated
<b>Set ID</b>	Value used in Florida PALM to define setup data. It	Required	Alpha-numeric	5	Project Provided

Field Name	Field Description	Required / Optional Field	Field Type	Field Length	Field Value Input
	allows the sharing of common setup data across Business Units or specific to Business Unit.				
<b>Florida PALM Location Code</b>	Florida PALM agency provided 10-character agency specific location identifier.	Required	Alpha-numeric	10	Agency Provided
<b>Effective Date</b>	Prior to system implementation, this date is defaulted to 01/01/1903.  <i>Following system implementation, this field will reflect the date when a row becomes effective, or the date that an action begins.</i>	Required	Date	10	Project Provided
<b>Status as of Effective Date</b>	Status as of Effective Date: "(A)ctive", "(I)nactive".  <i>Prior to system implementation this status is defaulted to "(A)ctive" for all agency confirmed values.</i>	Required	Character	1	Project Provided
<b>Description</b>	Location Description.	Required	Character	30	Agency Provided
<b>Country</b>	Country Abbreviation. (Example: USA)	Required	Character	3	Agency Provided
<b>Phone</b>	Agency Phone Number Associated with Location.	Optional	Character	24	Agency Provided
<b>Address 1</b>	Street Address of Asset Location OR Street Address or P.O. Box of Agency Primary Location.	Optional	Character	55	Agency Provided
<b>Address 2</b>	Building Name at Location Address.	Optional	Character	55	Agency Provided
<b>Address 3</b>	Additional address details, if applicable.	Optional	Character	55	Agency Provided
<b>City</b>	City or Town of Location Address.	Optional	Character	30	Agency Provided
<b>County</b>	County of Location Address.	Optional	Character	30	Agency Provided

Field Name	Field Description	Required / Optional Field	Field Type	Field Length	Field Value Input
<b>State</b>	State of Location Address.	Optional	Character	6	Agency Provided
<b>Postal</b>	Postal Code of Location Address.	Optional	Character	12	Agency Provided
<b>Jurisdiction</b>	User Defined Field.	Optional	Character	5	Agency Provided
<b>Building Number</b>	Building Number occupied by Agency at the Location Address, if applicable.	Optional	Character	10	Agency Provided
<b>Floor/Room Number</b>	Floor/Room within the location, if applicable.	Optional	Character	10	Agency Provided
<b>Sector</b>	Agency District/Area, if applicable.	Optional	Character	10	Agency Provided
<b>Comments</b>	Agency comments.	Optional	Character	254	Agency Provided

## Configuration Page(s)

The following provides an example of the Location Definition configuration page.

The screenshot displays the FloridaPALM web interface for the Location Definition configuration page. The page has a header with the FloridaPALM logo and navigation tabs for 'Location Definition' and 'Location Detail'. The 'Location Definition' tab is active, showing a form for defining a new location. The form includes fields for SetID (43000), Location Code (52F429580, highlighted with a red dashed box), Eff Date (01/01/1901), Active status (Active), Description (ST SUCIE BUILDING), Country (USA), Address 1 (9800 4TH STREET), Address 2 (ST SUCIE BUILDING), Address 3, City (ST PETERSBURG), County (USA), State (FL), Postal (33702), Jurisdiction, Building #, Floor #, and Sector. The form also includes a search bar, a 'Find' button, and a 'View All' button. The bottom of the page features a navigation bar with buttons for Save, Return to Search, Previous in List, Next in List, Notify, Add, Update/Display, and In.

Figure 4: Location Definition Configuration Page Example

The following provides an example of the Location Definition as used by the Asset Module component in Florida PALM.

**FloridaPALM**

Asset Acquisition Detail | **Location/Comments/Attributes** | Manufacture/License/Custodian | Asset Supplemental Data

Unit 43000    Asset ID 000000000001    OTHER EQUIPMENT    Tag    In Service

**Location** Find | View All First **1 of 1** Last

Effective Date 02/24/2022 ✕ 📅    Effective Sequence + -

**Location** 52F429580 🔍    ST SUCIE BUILDING

Area ID 🔍

Address 1 9800 4TH STREET  
City ST PETERSBURG  
County USA  
State FL Florida  
Country USA United States  
Geo Code  
Document

Jurisdiction  
Sector  
Postal 33702

Building  
Floor #  
Room#

Latitude  
Longitude

**Authorization**

Status Not Authorized ▼    Date 📅

Name

**Comments**

**Physical and Custom Attributes**

**Detailed Description**

**Image**

📄 Save 🔍 Return to Search ➕ Add 🔄 Update/Display 📖 Include History 🗑️ Correct History

[General Information](#) | [Operation/Maintenance](#) | [Asset Acquisition Detail](#) | [Location/Comments/Attributes](#) | [Manufacture/License/Custodian](#) | [Asset Supplemental Data](#)

Figure 5: Use of Location Definition Configuration Value on an Asset Transaction Page

## Worksheet Instructions

The below information provides detailed column instructions on how to complete the <Agency> Location Definition worksheet in Smartsheet.

**Task Completion Requirement:** For this task (RW Task 657) to be considered complete, it is necessary that you follow all steps listed below to ensure you have filled in or selected the appropriate values.

1. Review the worksheet and determine whether the configured values need updating in Florida PALM. A *Configure Value* column is provided to capture your agency's determination of the disposition of a configured Location Definition. Indicate "Yes", "No", "Update", or "New", as appropriate.
2. In the *Configure Value* column select:



- i. "Yes" if you still need this location.
- ii. "No" if you no longer need this location.
- iii. "Update" if any updates are needed for this location. Update the appropriate columns.

Error Messages	Configure Value	Set ID	Florida PALM Location Code	Effective Date	Status as of Effective Date	Description	Country	Phone	Address 1
	<div> <div></div> <div>Yes</div> <div>No</div> <div>Updated</div> <div>New</div> </div>								

Figure 6: Location Definition Configure Value

3. If a new location needs to be provided:
  - a. Select "New" in the *Configure Value* column.
  - b. Specify a 10-character value in the *Florida PALM Location Code* column, using the county code as the first two characters (See Table 7 in the appendix).
  - c. Specify the following address details, as necessary, in the following columns:
    - i. *Description*
    - ii. *Country*
    - iii. *Phone* (optional)
    - iv. *Address 1*
    - v. *City*
    - vi. *County*
    - vii. *State*
    - viii. *Postal*
4. Enter additional address details in the following columns:
  - a. *Address 2* – Provide the building name associated with the location, occupied by your agency, that needs to be configured in Florida PALM.
  - b. *Address 3* – Additional optional address details, if needed.
  - c. *Floor/Room Number* – Provide the optional Floor/Room number of buildings occupied by your agency that need to be configured in Florida PALM. Additional floor or room information can also be added via the Area ID field, described in the next section.
  - d. *Jurisdiction/Building Number/Sector* – Provide the optional jurisdiction, building number, and/or sector to further define asset locations if such designation(s) meet the needs of your agency.
5. Review and correct any errors identified in the *Error Messages* column.
6. Use the Comments field, optionally, for your internal purposes.

**NOTE:** Florida PALM requires each Location Code to be unique. Addition of a different description and/or address to an existing Location Code is considered a duplicate Location Code and will not be configured in Florida PALM.

## Area ID

Error Messages	Configure Value	Florida PALM Location Code	Area ID	Description	Area Detail	Comments

Figure 7: Area ID Values Worksheet in Smartsheet

## Configuration Value Definition

An Area ID provides an opportunity to identify specific areas within an established location. This function can be used to identify multiple rooms or floors within a single location, or any other granular sub-division of the agency location. The system provides a 10-character (alphanumeric) field to populate an Area ID. Once the address and location code are created in Florida PALM, the floor, or floor and room number can be added to the Area ID field. Numerous lines can be added to reflect multiple floors or multiple floor / room combinations.

**NOTE:** This is an optional feature that can be exercised by agencies and the values provided are for configuration in Florida PALM.

## Business Process and Subprocess

The Area ID configuration supports the following business process and subprocess:

Table 3: Area ID Business Process and Subprocess

Business Process	Business Subprocess
<a href="#">40.3 Set up and Maintain Asset Controls</a>	N/A

## Configuration Value Purpose and Use

- Area ID is an optional field. This field can be used to identify multiple rooms or floors within a single agency location.
- If Area ID is not provided, Florida PALM cannot associate rooms or floors with converted asset records.

## Configuration Design Details

The following values must be provided by the agency when establishing an Area ID:

- Florida PALM Location Code: 10-character (alphanumeric) Florida PALM agency specific location identifier.
- Area ID: 10-character (alphanumeric) user defined field – value that will be displayed for the Area ID.
- Description: 30-character (alphanumeric) Area ID Description.
- Area Detail: 254-character detailed information field for the Area ID.

Example:

Agency: Department of Health

Location: Alachua Regional Service Center East

Location Code = **01RegionaE**

Table 4: Area ID Example

Location Code	Area ID	Description	Area Detail
<b>01RegionaE</b>	FI 3 Rm 12	Floor 3 Room 12	Office administrator storage area
<b>01RegionaE</b>	FI 3 Rm 14	Floor 3 Room 14	
<b>01RegionaE</b>	Floor 2	Second Floor	
<b>01RegionaE</b>	FI 2 Rm 16	Floor 2 Room 16	Director's office

### Configuration Field Details

Agencies have the option to provide the following Area ID related configuration values as listed in the <Agency> Area ID Values worksheet in Smartsheet. Please note, the following information is only required if agencies choose to configure Area ID(s):

Table 5: Area ID Field Details

Field Name	Field Description	Required / Optional Field	Field Type	Field Length	Field Value Input
<b>Error Messages</b>	<i>Real-time "[RT]" and/or interfaced "[API]" messages, which describe all errors found in the Agency Indicated, Agency Provided, or Agency Specified fields.</i>	N/A	N/A	N/A	Project Provided
<b>Configure Value</b>	Configuration Needed: "Yes", "No", "Update", "New".  <i>Area ID is an optional agency configuration.</i>	Required	Character	6	Agency Indicated
<b>Florida PALM Location Code</b>	Florida PALM system provided 10-character (alphanumeric) agency specific location identifier.  <i>This must be a Location Code value already established in the &lt;Agency&gt; Location Definition worksheet.</i>	Required	Alpha-numeric	10	Agency Indicated
<b>Area ID</b>	Florida PALM location specific area identifier. This	Required	Alpha-numeric	10	Agency Provided

Field Name	Field Description	Required / Optional Field	Field Type	Field Length	Field Value Input
	is a user defined field that is associated to a specific Location Code.				
<b>Description</b>	Area ID Description.	Required	Character	30	Agency Provided
<b>Area Detail</b>	Detailed information field for the Area ID.	Optional	Character	254	Agency Provided
<b>Comments</b>	Agency comments.	Optional	Character	254	Agency Provided

### Configuration Page(s)

The following provides an example of the Area Definition configuration page.

Area Definition

SetID 43000  
 Location 52F429580 ST SUCIE BUILDING  
 Area ID COURTROOM1

**Area Information** Find | View All First 1 of 1 Last

\*Effective Date 01/01/1901  
 \*Status Active  
 \*Description Small Claims Court  
 Area Detail Small Claims actions may be brought only in the county where the defendant resides.

Save Notify Add Update/Display Include History Correct History

Figure 8: Area Definition Configuration Page Example

The following provides an example of the Area ID as used by the Asset Module component in Florida PALM.

The screenshot shows the Florida PALM interface with the 'Look Up Area ID' dialog box open. The dialog box contains the following information:

- \*SetID: 43000
- Location Code: 52F429580
- Area ID: begins with [dropdown]
- Description: begins with [dropdown]
- Buttons: Look Up, Clear, Cancel, Basic Lookup
- Search Results:
 

Area ID	Description
COURTROOM1	Small Claims Court
COURTROOM2	District Court
COURTROOM3	Trail Courtroom


Figure 9: Use of Area Definition Configuration Value on an Asset Transaction Page

## Worksheet Instructions

The below information provides detailed column instructions on how to complete the <Agency> Area ID Values worksheet in Smartsheet.

**Task Completion Requirement:** For this task (RW Task 657) to be considered complete, it is necessary that you follow all steps listed below to ensure you have filled in or selected the appropriate values.

- Review the worksheet and determine whether the configured values need updating in Florida PALM. A *Configure Value* column is provided to capture your agency's determination of the disposition of a configured Area ID value. Indicate "Yes", "No", "Update", or "New", as appropriate.
- In the *Configure Value* column select:
  - "Yes" if you still need this Area ID
  - "No" if you no longer need this Area ID
  - "Update" if any updates are needed for this location. Update the appropriate columns.



Error Messages	Configure Value	Florida PALM Location Code	Area ID	Description	Area Detail	Comments
	Yes					
	No					
	Updated					
	New					

Figure 10: Area ID Configure Value

2. If a new additional *Area ID* needs to be provided:
  - a. Select “New” in the *Configure Value* column.
  - b. Provide the *Area ID* that you would like to create. This is a 10-character agency defined field which will be available for selection when setting the location of an asset. Examples include:
    - i. LUNCHROOM
    - ii. OFFICE104
    - iii. COURTROOM1
3. Complete the following in the *Description* column for each *Area ID*:
  - a. Provide the Description of the *Area ID* and *Area Detail* information (e.g., Rooms, floors), if applicable. Examples include:
    - i. Employee lunchroom
    - ii. Office #104
    - iii. Small Claims Court
4. Optionally, you may also provide a more detailed description of the Area in the *Area Detail* column.
5. Review and correct any errors identified in the *Error Messages* column.
6. Use the *Comments* column, optionally, for your internal purposes.

**NOTE:** Florida PALM requires each *Area ID* to be unique per *Location*. If an associated *Location Code* was updated, the *Location code* also needs to be updated in the *Area ID Values* worksheet.

## Appendix

Table 7 provides a list of all Florida county codes.

*Table 7: Florida County Codes*

Code	County	Code	County
01	Alachua	35	Lake
02	Baker	36	Lee
03	Bay	37	Leon
04	Bradford	38	Levy
05	Brevard	39	Liberty
06	Broward	40	Madison
07	Calhoun	41	Manatee
08	Charlotte	42	Marion
09	Citrus	43	Martin
10	Clay	44	Monroe
11	Collier	45	Nassau
12	Columbia	46	Okaloosa
13	Miami-Dade	47	Okeechobee
14	Desoto	48	Orange
15	Dixie	49	Osceola
16	Duval	50	Palm Beach
17	Escambia	51	Pasco
18	Flagler	52	Pinellas
19	Franklin	53	Polk
20	Gadsden	54	Putnam
21	Gilchrist	55	St. Johns
22	Glades	56	St. Lucie
23	Gulf	57	Santa Rosa
24	Hamilton	58	Sarasota
25	Hardee	59	Seminole
26	Hendry	60	Sumter
27	Hernando	61	Suwanee
28	Highlands	62	Taylor
29	Hillsborough	63	Union
30	Holmes	64	Volusia
31	Indian River	65	Wakulla
32	Jackson	66	Walton
33	Jefferson	67	Washington
34	Lafayette		